

0

SHOES, BOOTS & RIGGERS



Product Code: 3CX

Available in Sizes: 07-12

Unit of Measure: Each



Safety Basic S3 SRC Highest Slip Level

BEESWIFT FOCUSED ON SAFETY

Product Code:

Available in Sizes: 03-14

Unit of Measure:

Available in Colours: Black BACKHOE/B

Antistatic

Non Metal Composite Midsole Dual Density

SRC Highest Slip Level


Safety Basic S3

Each

D

Ŧ

BACKHOE



- Black full grain leather hikerWaterproof and breathable lining
- · Padded tongue and collar
- Four gun metal eyelets & two hooks fasten
- Flexi insole
- Antistatic
- Composite toecap and midsole
 Contrast Phylon & rubber outsole
 Roughened leather external toe protection
- Dual density rubber sole
- SRA slip resistance
- EN ISO 20345:2011 S3 WR SRA







JCB Workwear Backhoe Boot

- Black action nubuck
- Water resistant leather
- Reinforced heel protection
 Padded collar and bellows tongue
 Woven tape pull-on heel loop
- Antistatic
- · Composite toecap and midsole
- Dual density rubber sole
- Anti scuff toe protector
- Heat resistant outsole
- SRC slip resistant
 EN ISO 20345:2011 S3 HRO SRC









Product Code: CDDCMS

Available	in Sizes:
03 - 13	

Unit of Measure: Each

Available in Colours: Black CDDCMSBL



200 Joule Steel Toecap

Conforms to EN ISO 20345 S1P SRC



Product Code: CDDSCCMS

Available in Sizes: 04 - 12

Unit of Measure: Each

Available in Colours:



Beeswift 4 D-Ring Midsole Boot

- 4 D-ring boot
 Dual density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole Slip resistant
- Leather upper Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT

Beeswift 4 D-Ring Boot with Midsole & Scuff cap

- 4 'D' Ring Boot with Scuff Cap
- Dual density PU
- 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant Leather upper
- Scuff cap
- Conforms to EN ISO 20345:2011 S1P
 SRC









Product Code: CDDTBBL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CDDTBBL

Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk ČĒ Leather Upper Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole

200 Joule Steel Toecap

Conforms to EN ISO 20345 S1P SRC



Product Code: CF11BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Beeswift Safety Trainer Boot

- Dual density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole
- •
- Slip resistant Leather upper •
- Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT

BEESWIFT DUAL DENSITY SITE BOOT S3

- 4 'D' Ring Boot with scuff cap
- Dual density PU 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel Water resistant upper
- Anti-static Oil resistant sole
- Slip resistant
- Conforms to EN ISO 20345:2011 S3 SRC









CF14

Anti Slip Sole Anti Static Sole ČE

Leather Upper Shock Absorber Heel

Steel Midsole



Cat 2 - Intermediate Risk



200 Joule Steel Toecap





Product Code: CF16BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



BEESWIFT LADIES CHUKKA BOOT

- Dual density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Slip resistant
- Leather upper
 Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT

BEESWIFT DUAL DENSITY DEALER BOOT

- Black dealer boot
- Dual density PU
- 200 Joule steel toe cap Shock absorber heel Steel Midsole protection
- •
- Anti-static Oil restistant sole
- Slip resistant
- Smooth leather upper
 Conforms to EN ISO 20345:2011 S1P SRC









Product Code: CF2

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Black CF2BL





Product Code: CF35

Available in Sizes: 03 - 13

Unit of Measure: Each



Shock Absorber Heel

Conforms to EN ISO 20345 S3 SRC

Water Resistant

BEESWIFT SMOOTH LEATHER 6 INCH BOOT

- Smooth leather 6 inch boot
 Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel Anti-static
- Oil resistant sole Slip resistant
- Leather upper
- TPU heel support Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT

BEESWIFT HIKER S3 COMPOSITE BOOT

- Nubuck leather, PU and black action mesh
- upper with printed decoration EVA/TPU/Rubber outsole
- Breathable blue mesh lining
- Comfortable, shock absorbing insole
 Composite Toe
- Composite midsole
- Water resistant
- Very lightweight Conforms to EN ISO 20345:2011 .
- S3 SRC









Product Code: CF37

Available in Sizes: 02-12

Unit of Measure: Each



BEESWIFT HIMLEY TPU TEK COMPOSITE MID LIGHTWEIGHT SAFETY WORK BOOT S3S

- Black/Grey 50% TPU/50% Polyester upper
 High abrasion resistance upper fabric
 Black/Grey Dual Density PU sole with
- foam heel insert Nylon mesh inner lining
- Metal free
- Composite toe
- Composite midsole Heel support
- Water penetration and absorption
- Lightweight
- Shock absorber heel Antistatic
- FO sole resistant to fuel oil
- SR slip resistance
- Conforms to EN ISO 20345:2022.
- S3S FO SR





BEESWIFT

BEESWIFT ONLINE

Product Code: CF38GY

Available in Sizes: 03 - 13

Unit of Measure: Each



- **BEESWIFT HIKER S7S COMPOSITE BOOT**
- Action Nubuck leather and Cordura Upper
- Lightweight and comfortable
 EVA/Rubber
 Heel Protection

 - Composite Toe
- Kevlar midsole
- Waterproof Membrane Liner
- Antistatic
- Energy absorbing heel Whole boot water resistance

- CI Cold Insulating SR Slip resistance SC TPU Scuff cap protection FO sole resistant to fuel oil
- Conforms to EN ISO 20345:2022
- S7S CI SR SC FO







CF4

Available in Sizes: 07 - 13

Unit of Measure: Each

Available in Colours: Black CF4BL



BEESWIFT LEATHER MID CUT MIDSOLE BOOT

- Black smooth leather mid cut boot
- Dual Density PU 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole Slip resistant
- Leather upper Conforms To EN ISO 20345:2011 S1P SRC





BEESWIFT



Product Code: CF50BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF50Bl Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk Composite Midsole 200 Joule Composite Toe Сар Leather Upper Fuel Oil Resistant Sole

Shock Absorber Heel

Water Resistant



BEESWIFT NON METALLIC CHUKKA BOOT


- Dual density PU
- 200 Joule composite toe cap
- Composite midsole protection Shock absorber heel
- Anti-static Oil resistant
- Slip resistant

BEESWIFT

Water resistant leather upper Conforms to ENISO 20345:2011 S3 SRC









Product Code: CF55BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF55BL



Conforms to EN ISO 20345 S3 SRC



Product Code: CF56

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF56BL

BEESWIFT DUAL DENSITY CHUKKA BOOT S3

4 D-ring boot Dual Density PU 200 Joule steel toe cap Steel midsole protection Shock absorber heel Anti-static Oil resistant sole Water resistant leather upper with grey Contrast grey mesh lining Conforms to EN ISO 20345:2011 S3 SRC





BEESWIFT

BEESWIFT STEEL TOE CAP ANKLE BOOT

- Black Action Waxy Leather upper
- Dual Density PU black/grey Sole
 200 Joule Steel Toe Cap
 Steel midsole protection
 Shock Absorber heel

- Anti-static
- Water repellent upper
- Slip resistant EN ISO 20345:2011 S3 SRC









Product Code: CF57BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF57BL



- 4 D-ring boot PU Padded collar and tongue
- PU sole
- 200 Joule steel toe cap
- Steel midsole Oil resistant sole
- Energy absorbing heel
 Leather upper
- Slip resistant
- Conforms to EN ISO 20345:2022 SBP E FO SR





BEESWIFT



Product Code: CF5BL

Available in Sizes: 06 - 13

Unit of Measure:



- **BEESWIFT METATARSAL BOOT S3**
- 4 'D' Ring Boot. PU/Rubber
- 200 Joule steel toe cap
- Metatarsal impact protection Steel midsole protection Shock absorber heel ē
- Anti-static
- Oil resistant sole Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
 Conforms to EN ISO 20345:2011 S3 M . SRC







Product Code: CF60

Available in Sizes: 04 - 13

Unit of Measure: Each

Available in Colours: Black CF60BL

Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk CE Heat Resistant Sole 300c Leather Upper Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole

200 Joule Steel Toecap

Water Resistant Conforms to EN ISO 20345



Product Code: CF62

Available in Sizes: 04 - 13

Unit of Measure: Each



Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap



BEESWIFT 6 EYELET PUR BOOT S3

- PU/Rubber
- 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole Heat resistant to 300°C Slip resistant
- Water resistant leather upper Honeycomb gel heel insole for excellent
- comfort Conforms to EN ISO 20345:2011 S3 SRC HRO





BEESWIFT

BEESWIFT PU RUBBER S3 BOOT

- PU/RUBBER
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Full grain water resistant leather upper .
- Honeycomb gel heel insole for excellent comfort
- Breathable water resistant membane lining Conforms to EN ISO 20345:2011 S3 WR SRC HRO









Product Code: CF65BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF65BL

Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk ČE Composite Midsole 200 Joule Composite Toe Cap

Heat Resistant Sole 300c

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Water Resistant Conforms to EN ISO 20345 S3 SRC HRO



Product Code: CF66

Available in Sizes: 03 - 13

Unit of Measure: Pair

Available in Colours:



Shock Absorber Heel

BEESWIFT NON METALLIC S3 PUR BOOT

- PU/RUBBER
- 200 Joule composite toe cap Composite midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant to 300°C Slip resistant

- Water resistant leather upper Honeycomb gel heel insole for excellent comfort Conforms to EN ISO 20345:2011 S3 SRC HRO





BEESWIFT

BEESWIFT TRENCHER BOOT

Internal metatarsal boot made with Poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal

boot. Extreme impact protection

- PU/RUBBER
- Non metallic
- 200 Joule composite toe cap Composite Reinforced midsole protection Metatarsal impact protection Shock absorber heel

- Anti-static
- Heat resistant sole unit to 300°C
- Slip resistant
- Water resistant leather upper

- Water Posistant learner upper Waterproof membrane lining Breathable Thinsulate membrane lining Full length foam fabric footbed for excellent comfort Conforms to EN ISO 20345:2011 S3 WR M SRC HRO











Product Code: CF67BL

Available in Sizes: 03 - 13

Unit of Measure: Pair

Available in Colours: Black CF67BL

- Anti Slip Sole Anti Static Sole
- Cat 2 Intermediate Risk ČE
 - Composite Midsole
 - 200 Joule Composite Toe Cap
 - Heat Resistant Sole 300c

Leather Upper

Metatarsal Impact

Fuel Oil Resistant Sole

Shock Absorber Heel


Water Resistant



Product Code: CF68

Available in Sizes: 05 - 13

Unit of Measure: Pair





Metatarsal Impact Protection Shock Absorber Heel

BEESWIFT TRENCHER PLUS SIDE ZIP BOOT

Internal metatarsal boot made with poron XRD technology. Designed for comfort and to carry out the same tasks as a normal, less flexible external metatarsal boot. Extreme impact protection.

- Black full grain water resistant leather upper
- YKK H/Duty side zip for easy on/off action Padded collar
- - Waterproof membrane lining Breathable thinsulate insulated mesh lining
- Full length foam fabric foot bed for excellent comfort
- Poron XRD internal M-Guard metatarsal impact protection
- Heel support
- Ankle protection TPU protective scuff cap
- Polyurethane/rubber injected sole
- Heat resistant outsole to 300 degrees Celsius HRO
- Anti-static FSD
 - Non Metallic
 - 200 Joule composite toe cap
 - Reinforced midsole
- Shock absorber heel
- SRC slip resistance
- Winter grip compound within the outsole for enhanced slip resistance Conforms to EN 20345:2011 S3 M HRO WR SRC





BEESWIFT

BEESWIFT WATERPROOF SIDE ZIP BOOT


Lightweight S3 composite side zip boot with Poron XRD extreme impact metatarsal protection Poron XRD technology is designed for comfort and to carry out the same tasks as a normal less flexible external metatarsal boot

- Nubuck top grain leather upper
- YKK heavy duty side zip for easy on/off action Breathable thinsulate CI cold insulating mesh lining
- Waterproof membrane lining
- Quality comfortable PU insole Poron XRD internal M-Guard
- EVA/Rubber cemented HRO heat resistant outsole Anti-static
- 200 joule composite toe cap
- Kevlar midsole
- Shock absorber heel
- TPU protective scuff cap SRC rated slip resistance
- Conforms to EN 20345:2011 S3 WR M CI HRO SRC













Product Code: CF85

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: White CF852

Anti Slip Sole
Anti Static Sole
Cat 2 - Intermediate Risk

Machine Washable 40°c

Shock Absorber Heel

Water Resistant

2 Conforms to EN ISO 20345 C S2 SRC



Product Code: CF9M

Available in Sizes: 04 - 13

Unit of Measure: Each



BEESWIFT MICRO-FIBRE BOOT S2

- 200 Joule steel toe cap
 Shock absorber heel
- Anti-Static
- Slip Resistant
 Washable to 40°C
- EN ISO 20345 S2 SRC





🖲 BEESWIFT[:]

BEESWIFT INTERNAL METATARSAL BOOT

Internal metatarsal boot made with Poron XRD technology. Designed for comfort and to carry out the

same tasks as a normal, less flexible external metatarsal boot.

- Dual Density PU
- 200 Joule steel toe cap
 Composite mideole protoc
- Composite midsole protection Metatarsal impact protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Water resistant leather upper
 Conforms to EN ISO 20345:2011 S3 M SRC
 - Conforms to EN ISO 20345:2011 S3 M SRC









Product Code: CTF20

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Black CTF20BL

Anti Slip Sole Anti Static Sole Leather Upper

Fuel Oil Resistant Sole Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC Cat 2 - Intermediate Risk F

Product Code: CTF24

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Black CTF24BL 3M Thinsulate Lined Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap Water Resistant

Beeswift S3 6 inch Boot

- Dual Density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole Slip resistant
- Water resistant leather upper •
- Conforms to EN ISO 20345:2011 S3 SRC





BEESWIFT

Beeswift S3 Thinsulate Boot

- Dual Density PU TPU
- 200 Joule steel toe cap Steel midsole protection
- Shock Absorber heel
- Anti-static Oil resistant sole
- Slip resistant
- Nubuck leather upper
- Water penetration resistant
- Breathable water resistant membrane lining
 Conforms to EN ISO 20345:2011 S3 WR SRC





BEESWIFT





Product Code: CTF25

Available	in Sizes:	
06 - 13		

Unit of Measure: Each





Cat 2 - Intermediate Risk ČĒ

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Water Resistant Conforms to EN ISO 20345



Product Code: CTF30

Available in Sizes: 06 - 10.5

Unit of Measure: Each

Available in Colours: Black CTF30BL Anti Slip Sole

Anti Static Sole Breathable Upper

Cat 2 - Intermediate Risk

Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Water Resistant



- Dual Density PU TPU
 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static Oil resistant sole
- Slip resistant Nubuck leather upper
- Water penetration resistant Conforms to EN ISO 20345:2011 S3 WR SRC





BEESWIFT

Beeswift S3 Hiker Boot

- Dual density PU TPU
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static Oil resistant sole
- Slip resistant
- Water penetration resistant
- Breathable water resistant membrane lining Conforms to EN ISO 20345:2011 S3 WR SRC .







Product Code: CTF32

Available in Sizes: 06 - 12

Unit of Measure: Each





Product Code: CTF42

Available in Sizes: 05 - 13

Unit of Measure: Each

Available in Colours:



Beeswift SBP Chukka Boot

- Dual density Eva/Rubber
 200 Joule steel toe cap
- Steel midsole protection
- Slip resistant Conforms to EN ISO 20345:20011 SBP SRA





BEESWIFT

Beeswift S3 PUR Dealer Boot

- Brown dealer boot.
- PU/Rubber
- 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel Anti-static

ē

- Oil resistant sole
- Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper
 Conforms to EN ISO 20345:2011 S3 SRC
 HRO









Product Code: DEALER

Available in Sizes: 03 - 14

Unit of Measure: Each



BEESWIFT FOCUSED ON SAFETY

Product Code:

Available in Sizes: 06 - 13

Unit of Measure:

Available in Colours: Black F/TRACK/B Honey F/TRACK/H

> Antistatic Dual Density

Safety Basic S3

SRA Basic Slip Level Steel Midsole

Waterproof Membrane

F/TRACK

Each

D

5



- Full grain tumble leatherWater resistant upper
- Breathable mesh lining
- Two pull tabs for ease of access
- PU insole
- Antistatic
- 100% Non-Metallic fibreglass toecap and composite midsole
- · Heat resistant outsole
- · Dual density rubber sole
- SRC slip resistant
- EN ISO 20345:2011 S3 HRO SRC







JCB Workwear Fast Track Boot

- Black full grain leather boot
- · Water resistant upper
- Waterproof and breathable lining
 Padded collar and tongue
 Four eyelets and two hook fasten
 Black flecked contrast lace
- Antistatic
- Steel toecap and midsole
- Dual density EVA and rubber sole
- SRA slip resistant
 EN ISO 20345:2011 S3 WR SRA











Product Code: FARLEY

Available in Sizes: 05 - 13

Unit of Measure: Each

Available in Colours: Brown FARLEY/DB Antistatic

Heat Resistant Sole Safety Basic S3 Steel Midsole



- Brown crazy horse leatherWater resistant upper
- Pull on tab for ease
- Antistatic
- Steel toecap and midsole
- Heat resistant outsole
 EN ISO 20345:2022/A1:2024 S3 HRO FO SR









Product Code: FASTRAC

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



SRA Basic Slip Level

Steel Midsole

Waterproof Membrane

JCB Workwear Fastrac Boots

- Black full grain leather upper
- Metal-Free
- Waterproof internal lining
- Cold Insulating
 Reinforced heel protection
 Padded collar and bellows tongue
 Woven tape pull-on heel loop
- Antistatic
- · Glass fibre toecap and composite midsole
- Heat resistant outsole Anti scuff toe protector

- Fuel and slip resistant outsole
 Insock made from recycled materials
 EN ISO 20345:2022 S7S HRO FO SC CI SR












Product Code: GWB

06 - 10.5	Available	in Sizes:
	06 - 10.5	

Unit of Measure: Each



Goodyear Welted
200 Joule steel toe cap

- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C • Slip resistant
- Leather upper •
- Conforms to EN ISO 20345:2011 SBP HRO SRC



BEESWIFT



Product Code: GWBMSBL

Available in Sizes: 06 - 12

Unit of Measure: Each

Available in Colours:



BEESWIFT GOODYEAR WELTED 6 INCH BOOT

BEESWIFT GOODYEAR WELTED 6 INCH BOOT

- Goodyear Welted •
- 200 Joule steel toe cap Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
 Slip resistant
- Leather upper

.

Conforms to EN ISO 20345:2011 SBP HRO SRC





BEESWIFT




Product Code: GWBMSSC

Available in Sizes: 06 - 12

Unit of Measure: Each

Available in Colours:







Product Code: HYDRADIG

Available in Sizes: 03 - 12

Unit of Measure: Each

Available in Colours:



BEESWIFT GOODYEAR WELT BOOT WITH SCUFF CAP

- 200 Joule steel toe cap Steel midsole protection Robust TPU scuff cap and heel kick off Heat resistant to 300°C
- Slip resistant
- Leather upper Conforms to EN ISO 20345:2011 SBP HRO SRC





BEESWIFT

JCB Workwear Hydradig Mid Cut Boots

- Grey and black KPU mid cut boot
- Dark grey breathable mesh lining
- Padded tongue and collarFive eyelet fasten
- Antistatic
- Steel toecap and midsole
 TPU protection to heel and toe
- Dual density EVA and rubber sole
- SRC slip resistant • EN ISO 20345:2011 S1P SRC











LAV1004

Available in Sizes: 02 - 13

Unit of Measure: Each

Available in Colours: Black LAV1004

100% Non Metallic

Anti Slip Sole

Antistatic

Clima Cork System

🝏 Compostie Toe Cap

Electro Static Dissipative

Kevlar Midsole (D)

Oil Resistant Sole \sim

100% Recycable

Shock Absorber

Sole Resistant to 300° (- NOT 10 111)



Product Code:

LAV1011

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Black LAV1011

- Anti Slip Sole
- 🥢 Antistatic
- Clima Cork System
- Exclusive PU Outsole
- Oil Resistant Sole
- Shock Absorber
- Steel Midsole
- 🍏 Steel Toe Cap
- Waterproof Membrane
- Water Resistant Upper

LAVORO KENOBI METAL FREE ESD BOOT BLACK

Protective Kevlar Midsole (resistant at perforation 1100N

- Composite Toe Cap (resistant to impact 200J and compression 15Kn)
- PU rubber outsole: anti vibration, antistatic,
- resistance to fuel oil
- Energy absorption on seat region
 WR full grain black leather
 100% Metal Free





LAVORO EXPLORATION LOW H/D BOOT

Protective Steel Midsole (resistant at perforation

1100N) Steel Toe Cap (resistant to impact 200J and compression 15Kn)

• PU outsole: anti vibration, antistatic, resistance to fuel oil

- Energy absorption on seat region
- WR full grain black leather









LAVORO





Product Code: LAV1016

Available in Sizes: 03 - 08

Unit of Measure: Each

Available in Colours: Black LAV1016 Anti Slip Sole Antistatic

Electro Static Dissipative

Exclusive PU Outsole

🧼 Kevlar Midsole

Oil Resistant Sole

🝏 Steel Toe Cap

Water Resistant Upper

ໜ Woman



Product Code: LAV1053

Available in Sizes: 06 - 12

Unit of Measure: Each

Available in Colours: Black LAV1053

- Anti Slip Sole
- Antistatic
- Chainsaw Protection
- Clima Cork System
- Oil Resistant Sole
- Shock Absorber
- Sole Resistant to 300°
- Steel Midsole
- 🝏 Steel Toe Cap
- Sympatex

LAVORO CYNDI LADIES ESD BOOT

- Protective Kevlar Midsole (resistant at perforation 1100N
 Protective Steel Toe Cap (resistant to impact 200J and compression 15Kn)
- PU outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
- Water penetration and water absorption resistant leather
- Electric Static Discharge







LAVORO SHERWOOD FORESTRY CHAINSAW BOOT

- Protective Steel Midsole (resistant at perforation 1100N)
- Steel Toe Cap (resistant to impact 200J and compression 15Kn)
- PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
- WR full grain black leather
 Sympatex waterproof lining

EN ISO 20345:2011 EN ISO 17249:2013 S3 SRC HRO CLASS 3









Product Code: LAV1611

Available	in	Sizes:	
06 - 13			

Unit of Measure: Each

Availa	able in Colours:
	Black LAV1611
I	Anti Slip Sole
	Clima Cork System
B	Exclusive PU Outsole

Oil Resistant Sole

- Shock Absorber
- Steel Midsole
- Steel Toe Cap
- Waterproof Membrane

- Protective Steel Midsole (resistant at perforation 1100N)
 Steel Toe Cap (resistant to impact 200J and compression 15Kn)
- PU outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region WR full grain black leather







Product Code: LAV1671

Available in Sizes: 06 - 13

Unit of Measure: Each





- Protective Steel Midsole (resistant at perforation 1100N)
 Steel Toe Cap (resistant to impact 200J and compression 15Kn)
- PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
- WR full grain black leather
- Sympatex waterproof membrane lining

EN ISO 20345:2011 EN ISO 17249:2013 S3 SRC HRO CI HI WR CLASS 2









Product Code: LOADALL

Available in Sizes: 02 - 13

Unit of Measure: Each

Available in Colours:	
	Honey LOADALL/H
7	Antistatic
	Non Metal Composite Midsole
D	Dual Density
53	Safety Basic S3
SRC	SRC Highest Slip Level



- Honey nubuck bootWater resistant upper
- Oxford nylon mesh · Embossed side panel
- Leather pull on heel loop
- Antistatic
- Steel toecap and composite midsole
 Dual density polyurethane sole
 Anti scuff toe protector
- SRC slip resistant
- EN ISO 20345:2011 S3 SRC









Product Code ND68A93CH1

Available in Sizes: 12

Unit of Measure: Each

Available in Colours: Black ND68A93CH

Dunlop Snugboot Craftsman Full Safety Boot

 PUROTEX material creates the first breathable and waterproof upper

- Lightweight, wear and tear resistant upper for all day High weight, weat and tear resistant appendix and tag working comfort
 High-level Purofort® material for maximum protection
 Lightweight Purofort® material for long lasting comfort
 Lightweight metal-free protective toe cap and midsole

- SRC rated slip resistant outsole to conquer any terrain

 Abrasion resistant and easy to clean outsole design Stability Fix locks in your foot with biomechanical support

for every step • EN ISO 20345:2011 Personal protective equipment. Safety footwear S5 CI CR SRC









Product Code: NE68A93

Available in Sizes: 06 - 12

Unit of Measure: Each

Available in Colours: Black NE68A93



- PUROTEX material creates the first breathable and waterproof upper
- Lightweight, wear and tear resistant upper for all day working comfort
 High-level Purofort® material
- For maximum protection
 Lightweight Purofort® material for long lasting comfort
 Lightweight metal-free protective toe cap and midsole
 SRC rated slip resistant outsole to conquer any terrain
- Abrasion resistant and easy to clean outsole design
- Stability Fix locks in your foot with biomechanical support

for every step • EN ISO 20345:2011 Personal protective equipment. Safety footwear S5 CI CR SRC









Product Code: SB

Available in Sizes: 06 - 12

Unit of Measure: Each

Available in Colours:



200 Joule Steel Toecap Water Resistant

Beeswift Sherpa Dual Density 6 Inch Boot

- Sherpa PU Rubber
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Water resistant leather upper Conforms to EN ISO 20345:2012 S3 SRC HRO









SCB

Available in Sizes: 06 - 06.5

Unit of Measure: Each

Available in Colours:

Anti Slip Sole Anti Static Sole Heat Resistant Sole 300c Leather Upper Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole



Product Code: SDB

Available in Sizes: 06 - 10.5

Unit of Measure: Each

Available in Colours: Brown SDB Anti Slip Sole Anti Static Sole Heat Resistant Sole 300c Leather Upper Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole 200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC HRO

Product Code:

Black SCBBL

200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC HRO

Beeswift Sherpa Dealer Boot

- Sherpa PU Rubber
- 200 Joule steel toe cap

BEESWIFT

- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C •
- Slip resistant
- Water resistant leather upper
 Conforms to ENISO 20345:2012 S3 SRC HRO

Beeswift Sherpa Dual Density PU/Rubber Mid Cut Boot

- Sherpa PU Rubber 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole Heat resistant sole to 300°C Slip resistant
- Water resistant leather upper Conforms to ENISO 20345:2012 S3 SRC HRO












Product Code: ΤB

Available in Sizes: 06 - 06.5

Unit of Measure: Each





Product Code: UPGO10054

Available in Sizes: 05 - 12

Unit of Measure: Pair

Available in Colours: Black UPGO10054

Beeswift Traxion Boot

Traxion Xtra Grip Boot has been designed to ensure maximum safety and protection: this shoe is aggressive and sturdy on the ground, but lightweight and comfortable on the foot.

- Dual Density PU TPU
 200 Joule steel toe cap
 Steel midsole protection
 Shock Absorber heel

- Anti-static
- Oil resistant sole
- Slip resistant
- Water penetration resistant
 Breathable water resistant membrane lining
 Conforms to EN ISO 20345:2011 S3 SRC





BEESWIFT

Upower Drop Safety Boot

Ankle boots safety shoes, totally "no metal", comfortable u power Gore-Tex, with soft water repellent leather upper, waterproof and breathable, composite toecap, anti-puncture, anti-slip and PU/Nitrile sole,

Complies with EN ISO 20345 - S3 WR HRO HI CI SRC









Product Code: UPGO10084

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Brown UPGO10084



Ankle boots safety shoes, comfortable u power Gore-Tex, with soft pull-up upper with textile inserts, waterproof and breathable, composite toecap, anti-puncture, anti-slip and PU/PU sole,

Complies with EN ISO 20345 - S3 WR CI SRC









Product Code: UPRI10026

Available in Sizes: 03 - 12

Unit of Measure: Pair

Available in Colours: Black UPRI10026



Safety shoes high, light and comfortable U-Power of the Red Industry range, with Soft, breathable suede leather with mesh inserts upper, composite toecap, anti-puncture, PU compact Antislip, antistatic and oil resistant. Antifatigue WOW2 footbed.

Complies with EN ISO 20345 - S1P SRC ESD









Product Code: UPRI10164

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRI10164



Light and comfortable safety shoes U-Power of the Red Industry range, with Soft, water resistant, grain leather, composite toecap, anti-puncture, PU compact Antislip, antistatic and oil resistant. Antifatigue WOW2 footbed.







Product Code: UPRI10324

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRI10324

Upower Niagara Safety Boot

Upower Scuro Safety Boot

Complie with EN ISO 20345 - S3 CI SRC

ESD

Low environmental impact winter safety shoes made with recycled materials and materials obtained from renewable sources that uphold the criteria of eco-sustainability and respect for the environment, completely Carbon Neutral (zero CO2 emissions). This high, comfortable and light safety footwear from the Red Industry Green range has a soft, micro-fibre upper containing a high percentage of recycled material.

Complies with EN ISO 20345 - S3 SRC CI ESD









Product Code: UPRI10384

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRI10384 Upower Land Safety Boot

Carbon Neutral safety shoes which meet the eco-sustainable requirements and respect for the environment, guaranteeing zero CO2 emissions. Land is a high-top safety shoe made from renewable sources and with recycled materials to achieve zero CO2 emissions while maintaining comfort, safety and all the quality of the U-Power brand. Eco-friendly safety shoes which have an ultra-lightweight AirToe Composite toe cap to protect the toes and a Save&Flex Plus Green anti-puncture system that is totally "Metal Free", made from 59% recycled materials. Land is a safety shoe in protection class S3 CI SRC ESD with an upper in Putek® Spider Repet made from a high

percentage of recycled material and excellent scuff resistance.

WingTex® Green lining with breathable air tunnel made from 66% recycled materials. Anatomic, antibacterial, anti-static and selfmodelling WOW2 Green footbed in PU by BASF which ensures longlasting well-being and comfort.

Scuff resistant, oil resistant, anti-slip and anti-static PU sole by BASF, obtained from 100% renewable sources. Eco-sustainable safety shoes ideal for: logistics, industry, automotive and assembly lines

Complies with EN ISO 20345 - S3 CI SRC ESD









Product Code UPRL10013

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRL10013

Upower Lift Safety Boot Esd

Safety shoes high, light and comfortable u power of the Red Lion range, with upper in natural nubuck leather, aluminum toecap, ultra-breathable, water-repellent, anti-puncture, anti-slip and PU / PU infinergy,

Complies with EN ISO 20345 - S3 SRC CI ESD









Product Code: UPRL10376

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRL10376

BEESWIFT

FOCUSED ON SAFETY

Product Code UPRL10524

Available in Sizes: 05 - 13

Unit of Measure:

Available in Colours:

Black UPRL10524

Pair

Upower Stego Safety Boot

RedLion Safety Shoes, with aluminium AirToe® and Save&Flex PLUS anti-perforation system, designed to guarantee a high comfort of the fit. High, light, with water-repellent upper in Putek PLUS® highly resistant to abrasion, closure with laces and bellows in padded nylon to ensure a prolonged wellbeing of the foot. These work shoes are

being of the foot. These work shoes are able to guarantee comfort and lightness thanks to the sole with the innovative Infinergy® system and to the expanded PU midsole. The multi-functional heel and the compact PU tread provide grip, security and stability of posture. This shoe complies with S3 SRC CI ESD safety standards and is suitable for use in humid environments, transport and logistics, the tertiary sector and services.

Complies with EN ISO 20345 - S3 SRC CI ESD







Upower Cosmo Safety Boot

Safety boots in soft, hard-wearing, water repellent, Pull-up leather with PU-reinforced scuff cap, double lace and Kevlar® DuPontTM stitching that ensure outstanding mechanical resistance to traction and heat.

Safety footwear in protection class S3 HRO HI CI SRC with special insulation against heat and cold.

The sole in PU/Vibram is particularly suited for use on treacherous surfaces and uneven ground, improving stability and grip.

Aluminium AirToe toe cap to protect the tip of the foot and Save & Flex® PLUS, allfabric, anti-puncture system stitched directly onto the upper for total coverage of the surface of the foot.

Comfort is guaranteed by the WOW insole, an anatomic insole in soft, breathable, antibacterial polyurethane whilst the Infinergy® system ensures over 55% of energy is returned with each step. The WingTex air tunnel inner lining ensures breathability and dispersion of moisture.

Ideal work shoes for wet and cold environments, for building sites, gardens and agriculture, installations, port areas, road works and maintenance and in every situation in which outdoor footwear is required that has a particular need for the sole of the shoe to be insulated against best and cold and the cole to have areated



heat and cold and the sole to have greater resistance to heat. Anti-slip, oil resistant and abrasion resistant sole.

Complies to EN ISO 20345 - S3 HRO HI CI SRC







Product Code: UPRL10554

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRL10554

Upower Grampian Safety Boot

Grampian is a model of work footwear in S3 SRC CI ESD standard protection with soft full-grain leather upper resistant to water and protective, ideal for use outdoors and in a humid environment.

Mid-cut work shoes with Infinergy® insert secure an energy return of over 55% more with each step, improving performance and general well-being during the working day.

The PU / PU sole is anti-slip, anti-oil, antiabrasion and anti-static and provides a special protection from the cold (A temp. \leq 10 ° C).

The lightweight aluminium Airtoe® toecap ensures foot protection, while the presence of the Save & Flex Plus anti-perforation system totally "Metal-Free" provides 100% protection of the foot surface.

These comfortable and water-resistant safety shoes with WingTex air tunnel lining ensure high breathability and antibacterial, anatomic and shockproof given by the WOW Gel insole. The polyurethane and soft gel insole lifts the heel and protects the foot from minor bumps and pressures, adapting perfectly to the shoe.

The Grampians are Men's water-resistant boots for work ideal for carpenters, bricklayers, gardeners and farmers, gas station attendants, mechanics, tire specialists, electricians, welders, and warehouse workers, trucking and logistics, craftsmen, and house painters.

Complies to EN ISO 20345 - S3 SRC CI ESD





Product Code: UPRL10564

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Brown UPRL10564



Cambrian is a comfortable and breathable model of safety shoes with an upper in soft water-resistant Pull-up leather and WingTex air tunnel lining for air circulation and prolonged comfort.

Highly breathable work shoes with Infinergy® system ensuring energy return: over 55% more energy with every step!

These water-resistant safety shoes have an AirToe® composite toecap to protect the tip of the foot and the Save & Flex Plus antiperforation system. It is textile and sewn directly on the upper to guarantee maximum safety and protect against perforation due to sharp objects such as nails or splinters.

Cambrian are oil and water-resistant work shoes that are very comfortable thanks to the soft and enveloping WOW Gel insole that covers the foot from minor bumps and pressures, adapting perfectly to the shoe.

S3 SRC CI ESD standard protection work footwears, with special protection of the sole from the cold and anti-slip, anti-oil, anti-abrasion and antistatic properties.

Water-resistant work boots appropriate for outdoor use in a humid environment and, particularly for trucking and logistics, craftsman, house painter, carpenter, bricklayer, gardener and farmer, the gas station attendant, mechanic, tire dealer, worker, electrician, welder, warehouse worker.

Complies to EN ISO 20345 - S3 SRC CI ESD













Product Code: UPRL1E134

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRL1E134

Upower Legend Safety Boot

High and comfortable safety shoe, U-Power of the Red Over range, with upper in soft grain leather, water-repellent, alluiminium-toe, Gore-Tex lining and sole with + 300 ° contact resistance (1min), anti-oil, anti-slip and antistatic.

Complies to EN ISO 20345 - S3 WR HRO HI SRC CI









Product Code: UPRL1E144

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRL1E144

Upower Domination Safety Boot

High and comfortable safety shoe, of the Red Over range by U-Power, highly abrasion-resistant PUTEK® PLUS upper and drummed natural nubuck, water-repellent, Gore-Tex lining, composite toe cap and soft PU foam and Infinergy® sole.

Complies to EN ISO 203454 - S3 WR SRC Cl









Product Code: UPRS10134

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRS10134



Safety shoes high, light and comfortable U-Power of the Red 360. High abrasion resistant PUTEK® star upper, water resistant, breathable, heel shock shield, aluminum toecap, anti-puncture, anti-slip and PU / PU infinergy, All products in this collection are protected by EU-registered designs.

Complies to EN ISO 20345 - S3 SRC CI ESD









Product Code: UPRS10164

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRS10164



Safety shoes high, light and comfortable U-Power of the Red 360. Soft nubuck water resistant leather upper and heel shock shield, aluminum toecap, anti-puncture, anti-slip and PU / PU infinergy, All products in this collection are protected by EU-registered designs.

Complies to EN ISO 20345 - S3 SRC CI ESD









Product Code: UPRV10024

Available in Sizes: 02 - 13

Unit of Measure: Each



Upower Parker Light Safety Boot ESD

Ultra-light anti-static safety shoes with soft nubuck-effect microfibre, water repellent and S3 SRC CI ESD protection class upper.

Ankle-high safety shoes with light aluminium Airtoe® toecap and new generation abrasion-resistant, oil-resistant, no-slip and antistatic PU compound sole.

Lighter safety shoes made with innovative materials for the construction of the sole and of the perforation-resistant system, consisting of ultralight puncture-resistant textile insole. The result is a safety shoe

whose weight has been significantly reduced, without compromising safety, to the benefit of workers' wellness.

Highly breathable safety shoes for men/ women with WingTex air tunnel lining and anatomical, antibacterial and sweat-proof U-Power Original insole.

The particular protection of the sole from the cold ($\leq 10^{\circ}$ C) make these safety shoes particularly suitable for: electricians, carpenters, craftsmen, warehouse workers, and the logistics and transport sectors.

Conforms to EN ISO 20345:2011







Uvex 2 Trend Safety Boots

- Safety boots in protection class S3 SRC in accordance with EN ISO 20345:2011
- Outer shoe material made of full-grain smooth leather
 Steel toosan and ponetration resistant steel midsele
- Steel toecap and penetration-resistant steel midsole
 Stabilising uvex anti-twist heel cap to prevent ankle
- twisting
 Removable, anti-static, comfortable insole
- EN ISO 20345:2011 S3 SRC. ESD rated





BEESWIFT FOCUSED ON SAFETY

Product Code UV69352

Available in Sizes: 05 - 15

Unit of Measure: Each

Available in Colours: Black/Blue UV69352





Product Code: UV84012

Available in Sizes: 05 - 15

Unit of Measure: Each

Available in Colours: Black UV84012

Uvex Quattro Boots

- Sturdy modern lace-up boot
 Extra wide fit
- Water-resistant leather upper
- Soft padded collar
- Padded dust tongue
- Breathable textile lining
- Smooth-running, dirt-resistant lacing system
 Ultra comfortable removable insole, antistatic, with a moisture control system creating a superior foot climate
- and improved comfort uvex 3D hydroflex® foam insole for exceptional shock
- absorption in the heel and under the front of the foot Dual-density PUR outdoor sole with integrated heel support and protection
- especially chunky, self-cleaning 4.5 mm tread with excellent grip and support in the arch area when climbing Foamed scuffcap to protect the leather upper
- Steel midsole
 BS EN ISO 20345:2011 S3 SRC
- Steel toe cap





uvex



Product Code: UV85172

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black / Red UV85172

Uvex 1 X-tended Support S3 SRC Lace-Up Boots

Uvex 1 safety shoes in protection classes S1 P and S3 provide optimal protection and support for the individual movements of the human body. This safety shoe has been designed based on the latest physiological research and innovative technologies, to reduce work-related stresses on the musculoskeletal system and optimise the wearer's wellbeing. The ergonomic construction of the uvex 1 safety shoes offers the perfect balance between protection and comfort.

 Protection class S3 in accordance with EN ISO 20345:2011 with additional marking for excellent slip resistance (SRC) • Meets the ESD specification with bleeder resistor under 35 megaohms

 100 % metal-free uvex xenova® toe cap – compact. anatomically formed, not thermally conductive and with good side stability

Ergonomically designed outsole made from dual density

Polyurethane with excellent slip resistance
Medial and lateral heel support for the foot with specially designed side frame – provides additional protection from ankle twisting, stabilises and guides the foot while providing impact protection





uvex



Product Code: UV85458

Available in Sizes: 05 - 15

Unit of Measure: Each

Available in Colours: Black UV85458



- Extremely lightweight and flexible
 100% metal-free
- uvex xenova® metal-free toe cap
- uvex climazone technology helps regulate internal temperature
- Breathable, water and abrasion-resistant upper mesh
 - Virtually seamless design to eliminate pressure points
 Removable comfort insole, antistatic, c/w moisture control
 - uvex 3D hydroflex® foam insole shock absorbing

JCB Workwear Workmax Boots

- PU sole with best shock absorbing properties
 EN ISO 20345:2011 S2 SRC. ESD rated





uvex

• Black full grain leather

Steel toecap and midsole

SRA slip resistant
EN ISO 20345:2011 S1P SRA

• EVA contoured footbed with TPU support • Antistatic

lace

TPU stripe

BEESWIFT FOCUSED ON SAFETY

Product Code: WORKMAX

Available in Sizes: 06 - 13

Unit of Measure: Each


Available in Colours:







Steel Midsole









Available in Sizes: 06 - 13

Unit of Measure: Each



BEESWIFT PREMIUM RIGGER BOOT

- Dual density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant Apollo leather upper TPU structured heel support
- Fur lining Padded ankle •
- Conforms to EN ISO 20345: 2011 S1P SRC





BEESWIFT



Unit of Measure: Each



Beeswift S3 Thinsulate Rigger Boot

- Dual density PU
- 200 joule steel toe cap Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole
- Slip resistant
- Water resistant leather upper
- 3M Thinsulate lining Conforms to EN ISO 20345: 2011 S3 SRC









Available in Sizes: 05 - 12

Unit of Measure: Each

Available in Colours: Brown CTF48BR

Anti Slip Sole Anti Static Sole Heat Resistant Sole 300c Leather Upper

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC Cat 2 - Intermediate Risk



Product Code DENSTONE/DB

Available in Sizes: 05 - 13

Unit of Measure: Each



Beeswift S3 PUR Rigger Boot

- PU/Rubber
- 200 Joule steel toe cap Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Heat resistant sole to 300°C Slip resistant
- Water resistant leather upper Fur lined
- Conforms to EN ISO 20345:2011 S3 SRC HRO





BEESWIFT

JCB Workwear Denstone Rigger Boot

- Conforms to EN ISO 20345.
- S3 SRC HRO WR CI.
- SRC rated slip resistant sole.
- Shock and crush resistant composite fibre glass toe cap. · Penetration resistant, non-metallic, midsole.
- Crazy horse leather uppers.
 100% waterproof internal membrane.
- . Lined with 3m Thinsulate for ultra warmth.
- External rubber scuff cap to toe area.
- External heel protection.
- Padded ankles for extra comfort.
- Large pull on tabs to either side.
 Anti-static.
- · Contact heat resistant sole up to 300c for up to one minute.
- Extremely comfortable.












Product Code: LJ2HR42

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Tan LJ2HR42





handy tabs so they are easy to put on, making it the trusted choice for industry and construction professionals. Trainer like fit

- Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage Steel toe cap
- Steel midsole protection
- Cut and abrasion resistant
- SRC rated outsole designed for excellent grip Tread wear indicator to monitor outsole
- performance
- Anti-static
- Oil resistant sole Comfortable fit
- Cold insulating to -20°c
- Lightweight
 Standard: EN ISO 20345:2011 S5 CI CR SRC

Replaces C462743 Purofort Rig-Air Full Safety Unlined









Product Code:

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours:



Superior comfort Energy absorbing

Protective toecap + midsole

Slip resistant outsole SRC

Waterproof

S5

FOCUSED ON SAFETY

LJ2HR48

- Tan LJ2HR48

S4 **S**4

S5

An ideal waterproof Purofort alternative to the standard leather rigger boot. The RigPro is

DUNLOP PUROFORT RIGPRO FULL SAFETY BOOT UNLINED

lightweight, 100% waterproof and insulated for temperatures down to -20°C. This durable, flexible and easy-to-clean boot is the perfect work boot for drilling platforms and construction sites. Features handy tabs so they are easy to put on, making it the trusted choice for industry and construction professionals. Trainer like fit

•Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage Steel toe cap

- Steel midsole protection
- Fur-lined
- Cut and abrasion resistant SRC rated outsole designed for excellent grip

 Tread wear indicator to monitor outsole performance

- Anti-static Oil resistant sole
- Comfortable fit
- Cold insulating to -20°c

Lightweight
Standard: EN ISO 20345:2011 S5 CI CR SRC

Replaces C462743.FL Purofort Rig-Air Full Safety Fur-Lined













Product Code: RBLS

Available in Sizes: 04 - 13

Unit of Measure: Each



Beeswift Rigger Boot Lined

- Dual Density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole
- •
- Slip resistant Acrylic fur lined. Apollo leather upper Conforms to EN ISO 20345: 2011 S1P SRC





BEESWIFT



Product Code: RBLSSC

Available in Sizes: 06 - 12

Unit of Measure: Each



- **Beeswift Scuff Scap Lined Rigger Boot**
- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static Oil resistant sole
- Slip resistant Apollo leather upper
- Scuff cap
- Conforms to EN ISO 20345: 2011 S1P SRC





BEESWIFT



Product Code: RBUS

Available in Sizes: 04 - 13

Unit of Measure: Each





BEESWIFT

NLINE 0 Product Code: SRB

Available in Sizes: 06 - 12

Unit of Measure: Each



Beeswift Rigger Boot Unlined

- Dual density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole

- Slip resistant Apollo leather upper Conforms to EN ISO 20345: 2011 S1P SRC





BEESWIFT

Beeswift Sherpa Dual Density PU Rubber Rigger Boot

- Sherpa PU Rubber
- Fur lining 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole Heat resistant to 300°C
- Slip resistant
- Water resistant leather upper .
- Conforms to EN ISO 20345:2011 S3 SRC









Product Code: CDDSMS

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CDDSMS

Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk CAT

Leather Upper Fuel Oil Resistant Sole

Shock Absorber Heel Steel Midsole

200 Joule Steel Toecap

Conforms to EN ISO 20345 S1P SRC



Product Code: CDDSTS

Available in Sizes: 06 - 12

Unit of Measure: Each



Beeswift Economy Shoe S1P

- Dual Density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole
- Slip resistant
 Leather upper
- Conforms to EN ISO 20345:2011 S1P
- SRC





BEESWIFT

Beeswift Smooth Leather Tie Shoe

- Dual Density PU
- 200 Joule steel toe cap Shock absorber heel
- Anti-static
- Oil resistant sole
 Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC











Unit of Measure: Each

Available in Colours: Black CF115



BEESWIFT BROGUE SHOE

- Mono Density PU
 200 joule steel toe cap
- Composite midsole
- Shock absorber heel
- Anti-static Oil resistant sole

- Slip resistant
 Leather upper
 Conforms to EN ISO 20345:2022 S1 PS FO SR





BEESWIFT



Product Code: CF12

Available in Sizes: 35/02 - 41/07

Unit of Measure: Each

Available in Colours:



BEESWIFT LADIES SLIP ON SHOE

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC









Available in Sizes: 35/02 - 41/07

Unit of Measure: Each

Available in Colours: Black CF13BL



200 Joule Steel Toecap Conforms to EN ISO 20345 S1P SRC



- Dual density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static .
- Slip resistant
- Leather upper
 Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT



Product Code: CF52BL

Available in Sizes: 03 - 13

Unit of Measure: Each



BEESWIFT COMPOSITE SHOE S1P

- Dual Density PU
- 200 Joule composite toe cap
- Composite midsole protection Shock absorber heel
- Anti-static
 Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC









Product Code: CF53BL

Available in Sizes: 04 - 12

Unit of Measure: Each

Available in Colours: Black CF53BL



Conforms to EN ISO 20345 S3 SRC



Product Code: CF54BL

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF54BL



BEESWIFT DUAL DENSITY SHOE S3

- Dual Density PU
 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole Water resistant leather upper with grey
- Contrast grey mesh lining
 Conforms to EN ISO 20345: S3 SRC





BEESWIFT

BEESWIFT SAFETY SHOE SBP

- PU Padded collar and tongue
- PU Sole 200 Joule steel toe cap

- Steel midsole
 Oil resistant sole
 Energy absorbing heel
 Leather upper
- Slip resistant

 Conforms to EN ISO 20345:2022 SBP E FO SR









Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF823

White CF822 Anti Slip Sole Anti Static Sole 2 Cat 2 - Intermediate Risk ČĒ Machine Washable 40°c 40/ Fuel Oil Resistant Sole Shock Absorber Heel 200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S2 SRC



Product Code: CF83

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Water Resistant

Conforms to EN ISO 20345 S2

S2

BEESWIFT MICRO-FIBRE TIE SHOE S2

- 200 Joule steel toe cap Shock absorber heel
- Anti-Static
- Oil resistant sole
- Slip Resistant Washable to 40°C
- Water resistant upper
 EN ISO 20345 S2 SRC





BEESWIFT

BEESWIFT MICRO-FIBRE SLIP ON SHOE S2

- 200 Joule steel toe cap
- Shock absorber heel Anti-Static
- Slip Resistant
- Washable to 40°C
 EN ISO 20345 S2 SRC













Available in Sizes: 70

Unit of Measure: Each

Available in Colours: Black CFL Cat 1 - Minimal Risk CE



BEESWIFT FLAT SHOE LACE

Flat shoe lace 70cm in length





BEESWIFT



Product Code: SW2010

Available in Sizes: 05 - 12

Unit of Measure: Each





Beeswift Managers Shoe S1

- 200 joule steel toe cap •
- Shock absorber heel

- Anti-static
 Oil resistant sole
 Slip resistant
 Leather upper
 Conforms to EN ISO 20345:2011 S1 SRC









Product Code: CAGELOW

Available in Sizes: 03 - 12

Unit of Measure: Each

Available in Colours:

Black CAGELOW/B Antistatic Dual Density D Safety Basic S1P 5P SRC Highest Slip Level Steel Midsole



- Grey mesh & black KPU lightweight mid-cut boot
 Dark grey breathable mesh lining
 Padded tongue and collar
- Black flat lace with black eyelet fasten
- Antistatic
- Steel toecap and midsole
 TPU protection to heel and toe
 Dual-density EVA and rubber sole
 SRC slip resistant
 EN ISO 20345:2011 S1P SRC









Product Code: CDDTB

Available in Sizes: 3 - 13

Unit of Measure: Each

Available in Colours: Black CDDTB Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk ČĒ Leather Upper Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole 200 Joule Steel Toecap

Conforms to EN ISO 20345 S1P SRC

 Dual Density PU 200 Joule steel toe cap

- Steel midsole protection
- Shock absorber heel
- Anti-static
 Oil resistant sole
- Slip resistant
- Leather upper

Conforms to EN ISO 20345:2011 S1P SRC

Beeswift Safety Trainer Shoe









Available in Sizes: 03-12

Unit of Measure: Each





- Black/Mid grey flyknit trainer
 Dual Density PU, air bubble sole for additional comfort
 Upper, lining and laces are made from recycled materials
 PU foam 100% recycled insole
- Metal free
- Composite toecap
- Composite midsole
- Black woven elasticated heel for ease of fitting
- Shock absorbing cushioned heel
- Antistatic Sole resistant to fuel oil
- SR Slip resistance
- Conforms to EN ISO 20345:2022
 S1 PL FO SR





BEESWIFT



Product Code: CF17

Available in Sizes: 03 - 13

Unit of Measure: Each



- **BEESWIFT MESH ACTIVE TRAINER SHOE**
- Dual Density PU scuff cap trainer
- Blue sandwich mesh lining Blue contrast trim
- 2 eyelets, 3 woven loop lace fixings
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole

.

- Slip resistant
- Mesh, suede and leather upper Conforms to EN ISO 20345:2011 S1P SRC









Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF18



Conforms to EN ISO 20345 S1P SRC



Product Code: CF19

Available in Sizes: 03 - 12

Unit of Measure: Each



Conforms to EN ISO 20345 S1P SRC

BEESWIFT SNEAKER TRAINER

- Nubuck leather sneaker trainer
 Dual Density PU Sole
 - Orange sandwich mesh lining
- Orange contrast eyelet
- 200 Joule steel toe cap Composite midsole protection
- Shock absorber heel
- Anti-static Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC





BEESWIFT

BEESWIFT ACTION TRAINER SHOE NON METALLIC

- Black Action Nubuck/ Mesh upper
- Black sandwich mesh lining with orange mesh heel
- Black/orange EVA/rubber sole
- 4 x black plastic eyelets
- 200 joule composite toe cap Composite Midsole Shock absorber heel
- Oil resistant sole
- Conforms to EN ISO 20345:2011 S1P SRC
 Sizes EU 36(3) 47(12)









Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black/Grey CF26 Anti Slip Sole Anti Static Sole Cettor Cat 2 - Intermediate Risk Composite Midsole 200 Joule Composite Toe Cap Fuel Oil Resistant Sole Shock Absorber Heel

Water Resistant

Conforms to EN ISO 20345 S3 SRC

Product Code: CF27

Available in Sizes: 04 - 12

Unit of Measure: Each

Available in Colours:



BEESWIFT TRAINER SHOE S3 NON METALLIC

- Black Action Mesh Upper with grey/silver stripes
 Grey EVA/Black rubber sole
- 3 woven black/grey lace loop fixings and 1 plastic grey
- eyeletComfort insole
- Click branding
- Metal free
- Composite toe cap Reinforced midsole
- Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC





😟 BEESWIFT

BEESWIFT TRAINER SHOE S3 NON METALLIC

- Black Full Grain leather /Mesh Upper
- Black PU/Grey PU sole
 Grey contract stitching
- Grey contrast stitching
 3 woven black/orange lace loop fixings and 1 plastic orange eyelet
- Comfort insole
- Metal free
 - Composite toe cap
- Reinforced Midsole
 Water resistant
- Conforms to EN ISO 20345:2011 S3 SRC









CF29

Available in Sizes: 04 - 13

Unit of Measure: Each

Available in Colours: Black/Blue CF29B Black / Orange CF29 Anti Slip Sole Anti Static Sole Cat 2 - Intermediate Risk CE Composite Midsole 200 Joule Composite Toe Cap Fuel Oil Resistant Sole Shock Absorber Heel Water Resistant

Conforms to EN ISO 20345 S3 SRC



Product Code: CF7BL

Available in Sizes: 03 - 12

Unit of Measure: Each

Available in Colours:



BEESWIFT SAFETY TRAINER S3 COMPOSITE

- Nubuck leather, PU and black action mesh upper with printed decoration
- EVA/TPU/Rubber outsole
- Breathable blue mesh lining Comfortable, shock absorbing insole
- Composite Toe Cap
- Composite midsole Water resistant
- Very lightweight Conforms to EN ISO 20345:2011
- S3 SRC





BEESWIFT

BEESWIFT DOUBLE DENSITY TRAINER SHOE SBP

- EVA/Rubber
- 200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Oil resistant sole
- Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 S1P SRC







Available in Sizes: 04 - 06

Unit of Measure: Each

Available in Colours: Black CF862 Anti Slip Sole 200 Joule Composite Toe Cap Non Metallic Midsole Fuel Oil Resistant Sole Shock Absorber Heel Conforms to EN ISO 20345 S1P SRC Cat 2 - Intermediate Risk

6



- Black Microfibre upper
 Light blue sandwich mesh lining
 Black/Light blue EVA/rubber sole
 200 Joule Composite toe cap
- Composite Midsole
- Shock absorber heel
- Oil resistant sole • Anti slip sole
- Conforms to EN ISO 20345:2011 S1P

SRC Sizes EU 36(3) - 42(8)





BEESWIFT



Product Code: CTF59

Available in Sizes: 06 - 04

Unit of Measure: Each



Fuel Oil Resistant Sole Shock Absorber Heel

Conforms to EN ISO 20345 S1P SRC



- Dual density PU
- 200 Joule composite toe cap Composite midsole protection
- Shock absorber heel
- Anti-static
- Slip resistant
- Breathable mesh lining
 Conforms to EN ISO 20345: 2011 S1P SRC





BEESWIFT



Product Code: LAV1204

Available in Sizes: 02 - 13

Unit of Measure: Each

Available in Colours: Black LAV1204

100% Non Metallic

Anti Slip Sole

Antistatic

Clima Cork System

Compostie Toe Cap

Electro Static Dissipative

Kevlar Midsole

Oil Resistant Sole

100% Recycable

Shock Absorber

Sole Resistant to 300° (- NOT 10 111)



Product Code: LAV1215

Available in Sizes: 02 - 08

Unit of Measure: Each

Available in Colours: Grey/Pink LAV1215

- 100% Non Metallic
- Nnti Slip Sole
- Antistatic
- Clima Cork System
- Compostie Toe Cap
- Electro Static Dissipative
- 🧼 Kevlar Midsole

Oil Resistant Sole

100% Recycable

Shock Absorber

LAVORO VADER METAL FREE ESD SHOE

- Protective Kevlar Midsole (resistant at perforation 1100N
 Composite Toe Cap (resistant to impact 200J and compression 15Kn)
 PU rubber outsole: anti vibration, antistatic, resistance to fuel oil
- Energy absorption on seat region
 WR full grain black leather
- 100% Metal Free





LAVORO LEIA LADIES ESD SHOE

- Protective Kevlar Midsole (resistant at perforation 1100N)
- Composite Toe Cap (resistant to impact 200J and compression 15Kn)
 PU rubber outsole: anti vibration,
- antistatic, resistance to fuel oil
- Energy absorbent
 Electric Static Discharge

LAVORO

- Textile absorbing lining and soft tongue









Product Code: LAV1256

Available in Sizes: 03 - 08

Unit of Measure: Each

Available in Colours: Black LAV1256



200 Joule steel toe cap Nubuck WR Leather

- PU- PU Rubber outsole: anti vibration, antistatic, resistant to fuel oil
- Energy Absorbent
 Electric Static Discharge
- Textile absorbing lining
- Soft tongue
 EN ISO 20345:2011 S3 SRC









Product Code: SPARK

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



- JCB Workwear Spark Trainers S3 SRC
- Metal free black and grey safety trainer
 Nylon mesh upper with TPU toe overlay
- Padded tongue and collarFive eyelet fasten
- Antistatic
- Composite toecap and midsole
 PU foam high comfort full length footbed
 Pull on loop at heel
- · Fuel and oil resistant outsole
- SRC slip resistant
 EN ISO 20345:2011 S3 SRC









Product Code: UPRS20134

Available in Sizes: 02 - 13

Unit of Measure: Pair

Available in Colours: Black UPRS20134









Product Code: UPRV20014

Available in Sizes: 02 - 13

Unit of Measure: Each

 Available in Colours:

 Black UPRV20014

 Airtoe Aluminium

 Airtoe Aluminium

 Protection

 uPower-NaturalComfort

 uPower-Original

 uPower-SaveFlexair

 uPower-Secosol

 uPower-Wingtex

Upower Matt Light Safety Shoes ESD

Lightweight safety shoes with Airtoe® Aluminium toecap and sole made with an ultra light innovative new generation PU compound that significantly reduces the weight of the shoe.

The lightness of this safety shoe allows for greater freedom of movement, greater energy and better performance.

Safety shoes for women and men, with upper in PUTEK® star highly resistant to abrasion, water repellent and breathable. Toe protection with abrasion-resistant scuff cap.

Breathable shoes with no-slip, anti-static, oil-resistant and abrasion-resistant sole with innovative ultralight puncture-resistant textile insole, ideal for: craftsmen, electricians, carpenters, warehouse workers, and the logistics and transport sectors.

Comfort and well-being guaranteed by the Wingtex breathable air tunnel lining and the U-Power Original insole in light polyurethane compound soft polyurethane, anatomical, breathable and antibacterial.

Conforms to EN ISO 20345:2011

S3 SRC CI ESD protection class safety shoes which offer special protection of the sole from the cold.









Safety shoes low, light and comfortable U-Power of the Red 360. High abrasion resistant PUTEK® star upper, water resistant, breathable, with Lycra® fibre fabric collar and heel shock shield, aluminum toecap, anti-puncture, anti-slip and PU / PU infinergy, All products in this collection are protected by EU-registered designs.

Complies to EN ISO 20345 - S3 SRC CI ESD



Product Code: UPRV20104

Available in Sizes: 02 - 13

Unit of Measure: Each



Upower Logan Light Safety Shoes ESD

Low and light safety shoes with innovative perforation-resistant system consisting of an ultralight puncture-resistant textile insole and new generation PU compound sole.

These new highly innovative materials have allowed a considerable reduction in the overall weight of the shoe to the benefit of the well-being of the worker.

Super light S3 SRC CI ESD standard safety shoes with particular protection of the sole from the cold ($\leq 10^{\circ}$ C).

High-sturdiness PUTEK® star upper and toe protection with abrasion-resistant scuff cap. Non-slip, oil-resistant, abrasion-resistant and anti-static sole.

Super light safety shoes suitable for wet and dry environments and, in particular for: electricians, craftsmen, carpenters, warehouse workers, and the logistics and transport sectors.

Highly breathable safety shoes with air tunnel lining that ensures the dispersion and absorption of moisture and the U-Power original insole in polyurethane compound.

Conforms to EN ISO 20345:2011









Product Code: UPRV20134

Available in Sizes: 02 - 13

Unit of Measure: Each



Upower Thomas Light Safety Shoes ESD

Lightweight safety work shoes with upper in Nubuck-effect soft microfibre.

These low work shoes, with Airtoe® Aluminium light toe cap, in S3 SRC CI ESD protection class, feature an ultra-light sole built using a new generation anti-abrasion, antioil, anti-slip and antistatic PU compound.

The brand new puncture-proof textile insole makes these work shoes lighter than traditional models ensuring the protection of the sole of the foot.

The use of these innovative materials for the outsole and the anti-puncture system, together with the Airtoe® aluminium toe cap, allow a considerable reduction in the overall weight of the work footwear, which greatly benefits the performance and wellbeing of the worker.

Cl safety footwear, with special protection of the sole from the cold, ideal for: electricians, carpenters, craftsmen, warehouse workers, and for workers in the transport & logistics sector.

The U-Power Original insole, built using a light polyurethane compound ensures comfort and foot health thanks to its antibacterial, anatomical and breathable characteristics. WingTex Air tunnel lining.

Safety shoes for men and women.

Conforms to EN ISO 20345:2011

Don't worry... be happy!







Product Code: UV85128

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black / Red UV85128

Uvex 1 X-tended Support S1 SRC Shoe

General features

 Particularly lightweight and versatile perforated S1 safety shoe

 Made from synthetic materials, so suitable for people allergic to chrome

All sole materials are free of silicones, plasticisers and

other paint wetting impairment substances
Elastic laces for quick, individual adjustment, normal laces also provided

Colour: black, red

Available in sizes: 35 to 52

Protection features

 Protection class S1 in accordance with EN ISO 20345:2011 with additional marking for excellent slip resistance (SRC)

 Meets the ESD specification with bleeder resistor under 35 megaohms

 100 % metal-free uvex xenova® toe cap – compact. anatomically formed, not thermally conductive and with good side stability

Ergonomically designed outsole made from dual density polyurethane with excellent slip resistance

 Medial and lateral heel support for the foot with specially designed side frame - provides additional protection from ankle twisting, stabilises and guides the foot while providing impact protection

Comfort features

 Outstanding wearer comfort as a result of a recently developed last and the climate-optimised, breathable materials with perforation

Virtually seam-free construction from high-tech microvelour material to eliminate pressure points

Removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot

Soft padding on collar and tongue

uvex

Uvex 1 Safety Trainers

- Extremely lightweight and flexible
- 100% metal-free
- uvex xenova® metal-free toe cap uvex climazone technology helps regulate internal
- temperature
- Breathable, water and abrasion-resistant upper mesh
 Virtually seamless design to eliminate pressure points
- Removable comfort insole, antistatic, c/w moisture control
- uvex 3D hydroflex® foam insole shock absorbing
- PU sole with best shock absorbing properties
- EN ISO 20345:2011 S2 SRC











Product Code: UV85448

Available in Sizes: 05 - 13

Unit of Measure: Each

Available in Colours: Black UV85448





Product Code: UV85628

Available in Sizes: 03 - 09

Unit of Measure: Each

Available in Colours: Grey/Pink UV85628

Uvex 1 Ladies Safety Trainers

- Designed specifically for the contours of the female foot
 Extremely lightweight and flexible
 100% metal-free
- uvex xenova® metal-free toe cap
- uvex climazone technology helps regulate internal temperature
- Breathable mesh lining, water and abrasion-resistant upper

Virtually seamless design to eliminate pressure points
Removable comfort insole, antistatic, c/w moisture control

uvex 3D hydroflex® foam insole, PU Sole EN ISO 20345:2011 S2 SRC. ESD rated





uvex



Product Code: CF842

Available in Sizes: 03 - 10.5

Unit of Measure: Each



BEESWIFT MICRO FIBRE SLIPPER

- Dual Density PU
- Microfibre upper

•

- Removable belt 200 Joule steel toe cap
- Shock absorber heel
- Slip resistant
- Machine washable 40°c
- Anti-Bacterial lining and insole
 Conforms to EN ISO 20345: 2011 SB A E SRC





BEESWIFT



Available	in Sizes:
03 - 10.5	

Unit of Measure: Each

Available in Colours: Black CF843





BEESWIFT MICRO FIBRE SLIPPER

- Dual Density PU
 Microfibre upper





BEESWIFT



Product Code: 142

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours:



Energy Absorbing

Fuel Oil Resistant Sole

Steel Midsole

200 Joule Steel Toecap

Various Chemical Resistant Water Resistant



- Steel Toe Cap
- Steel Mid-Sole Oil Resistant Outsole
- Antistatic
- Energy Absorbing Sole
 Waterproof
 EN ISO 20345 S5 SRA









Product Code: 171BV

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: White 171BV

Energy absorbing Oil resistant outsole Protective toecap Slip resistant outsole SRA

Waterproof

SB SB



BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: 06 - 12

Unit of Measure:

Available in Colours: Black A252931

Antistatic

Chemical resistant Oil resistant outsole

Protective toecap + midsole Slip resistant outsole SRA

Waterproof SB SB

A252931

Each


Dunlop Acifort Ribbed Full Safety Wellingtons

This boot, which is suitable for various construction environments, has a ribbed top to protect the shinbone (metatarsal). Strong and durable.

DUNLOF

- Acifort full safety
 Toecap protection
 Midsole protection
- Energy absorbent
- Oil resistant outsole
- 100% Waterproof
- Ribbed to protect shinbone
 EN ISO 20345 SBP P A FO SRA







Dunlop Protomaster Safety PVC Wellingtons

- 100% waterproofPVC/Nitrile
- Steel Toe Cap
- Oil resistant outsole
- Various chemical resistant

 Resists minerals, animal and plant oils and fats, blood, disinfectants, fertilizer, various chemicals
 EN ISO 20345:2011 Personal protective equipment. Safety footwear SB E FO SRA









Product Code: A442

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Green A442631





Dunlop has improved its Acifort® Agri Range. The Acifort Heavy Duty Full Safety now features a dark green shaft, black outer sole with a third, red intermediate layer (NEW) for immediate safety recognition. The boot is certified according to the most recent European standards.

A practical and durable work boot for farm work. Excellent resistance to various liquids and materials and a good life span. Ideal for less intensive and general tasks on the farm. Features a steel-tipped toe and steel midsole for impact and penetration protection

- Toecap protection
 Midsole protection
- Energy absorbing sole
 Antistatic
- Slip resistant
- 100% Waterproof
- · Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, various chemicals
- EN ISO20345:2011 S5 SRA









Product Code: A4422B1

Available in Sizes: 06 - 12

Unit of Measure: Pair

Available in Colours: Yellow A4422B1



- Strong abrasion resistant outsole for extra durability
- Easy cleaning and SRA+ rated slip resistant outsole
- Shock absorbing heel design
- Suitable for use under protective suits (EN943-1 certified)
- Excellent level of toe protection
 Nitrile and polymers enhanced PVC compound for basic chemical protection

- Reinforced ankle protection
- EN ISO 20345:2011 S5 SRA









Product Code: A442AB1

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Green A442AB1



- Certified chemical resistance and worker protection Nitrile & polymer enhanced PVC compound for
- professional chemical protection
- Reinforced ankle protection

- Excellent level of toe protection
 Self cleaning SRA++ rated slip resistant outsole
 Strong abrasion resistant outsole for extra durability
 Shock absorbing heel design
 Certified chemical resistance EN13832-3:2006 Footwear protecting against chemicals. Requirements for prolonged contact with chemicals J K O P Q R
- Additionally, certified against sulphuric acid (50% conc.)
 EN ISO 20345:2011 S5 AN SRA









Product Code: ASTON

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black ASTON Anti Static Sole Energy Absorbing Fuel Oil Resistant Sole Steel Midsole

Various Chemical Resistant













- Steel Toe Cap
- Steel Mid-Sole Oil Resistant Outsole
- Antistatic
- Energy Absorbing Sole
- Waterproof
 EN ISO 20345 S5 SRA









Product Code: B440631

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Green B440631 Anti Slip Sole Anti Static Sole Fuel Oil Resistant Sole Shock Absorber Heel Various Chemical Resistant Water Resistant



Dunlop has improved its Acifort® Agri Range. The Acifort Heavy Duty now features a dark green shaft, black outer sole with a third, yellow intermediate layer (NEW) for immediate safety recognition. The boot is certified according to the most recent European standards.

A practical and durable work boot for farm work. Excellent resistance to various liquids and materials and a good life span. Ideal for less intensive and general tasks on the farm.

 Anti-Slip Anti-Static

Energy Absorbing

• Resistance to minerals, animal and plaint oils and fats, fertilizer, acids, disinfectants, various chemicals • Waterproof

EN ISO 20347:2011.O4.FO.SRA









Product Code: BΒ

Available in Sizes: 03 - 10.5

Unit of Measure: Each





Dunlop Pricemaster Non-Safety Wellingtons

A standard boot for less intensive farming applications.

- No steel components
- Colour: Black Standard: CE
- Non safety100% Waterproof











BNPAN1P9180

Available in Sizes: 03 - 13

Unit of Measure: Each





Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
Standard fitting

- Available in non safety (04), steel toe cap (S4), toe cap and midsole (S5)
- Excellent grip
- Increased slip resistance: SRC approved
 Resistant to fats, manure and a variety of chemicals Kick-off spur
- Thermal insulation -20°C
- EN ISO 20347:2012 04.SRC.CI









Product Code BNPAN3P1053

Available in Sizes: 03.5 - 13

Unit of Measure: Each



Bekina Steplite Easy Grip Safety Wellingtons S4

- Neotane material: proprietary polyurethane formulation: light,
- flexible, long lasting
- Suitable for use in the food industry Standard fitting
- Safety: steel toe cap S4
- Excellent grip
 Increased slip resistance: SRC approved · Resistant to fats, manure and a variety of chemicals
- Kick-off spur
- Thermal insulation -20°C
- PVC free
 RFID incl

BEKINA

EN ISO 20345:2011 S4 .SRC CI







BNPAN3P5353

Available	IN	Sizes
03.5 - 13		

Unit of Measure: Each





- Neotane material: proprietary polyurethane formulation:
- Neotale material, proprietary polyal light, flexible, long lasting
 Suitable for use in the food industry
- Standard fitting
- Safety: steel toe cap S4

- Salety, stor for each of a set of a set
- Kick-off spur Thermal insulation -20°C
- PVC free
- RFID incl
 - EN ISO 20345:2011 S4 .SRC CI







BEESWIFT FOCUSED ON SAFETY

Product Code BNPAN4P2080

Available in Sizes: 04 - 13

Unit of Measure: Each



÷:

Bekina Steplite Easy Grip Full Safety Wellingtons S5

- Neotane material: proprietary polyurethane
- formulation: light, flexible, long lasting
- Standard fitting Safety: steel toe cap and midsole S5
- Excellent grip
- Increased slip resistance: SRC approved
 Resistant to fats, manure and a variety of chemicals
- Kick-off spur

BEKINA°

 Thermal insulation -20°C EN ISO 20345:2011 S5 .SRC CI









BNPAN4P8080

Available	in Sizes:
04 - 13	

Unit of Measure: Each

Avai	lable	in	Colours:	
	l Blac	:k		



Waterproof

::





Product Code BNPAN4P9180

Available in Sizes: 04 - 13

Unit of Measure: Each



Bekina Steplite Easy Grip Full Safety Wellingtons S5

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
 Standard fitting
- Safety: steel toe cap and midsole S5
- Excellent grip Increased slip resistance: SRC approved
- Resistant to fats, manure and a variety of chemicals
- Kick-off spur
 Thermal insulation -20°C
 EN ISO 20345:2011 S5 .SRC CI







Bekina Steplite Easy Grip Safety Wellingtons S5

- Neotane material: proprietary polyurethane
- formulation: light, flexible, long lasting
- Standard fitting Available in non safety (04), steel toe cap (S4), toe cap and midsole (S5)
 Excellent grip
 Increased slip resistance: SRC approved

- Resistant to fats, manure and a variety of chemicals
- Kick-off spur
- Thermal insulation -20°C
- EN ISO 20345:2011 S5.SRC.CI









BNXAC9P6253

Available	in Sizes:
04 - 13	

Unit of Measure: Each

Availa	able in Colours:
	Orange
	BNXĂC9P6253
12.25	Anti-Bacterial
	Anti-Slip
Y	Anti-Static
.	Chemical Resistance
	Energy Absortion
	Full Safety
*	Insulating
Ľ	Non Abrasion
5	Oil Resistant
ź	Waterproof





Product Code BNXAC9P9180

Available in Sizes: 04 - 13

Unit of Measure: Each



Bekina Steplite X Thermoprotec Full Safety Non Metalic Wellingtons S5

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
 Non-metallic toe cap and midsole
- Extra high top & wide fitting: enhanced comfort
- Excellent grip Increased slip resistance: SRC approved
 - Kick-off spur100% waterproof

 - Cushioning effect in heel
 Thermal insulation 40°C
 - Standard EN ISO 20345:2011 S5.SRC.CI







Bekina Steplite X Thermoprotec Full Safety Non Metalic Wellingtons S5

- Neotane material: proprietary polyurethane formulation:
- light, flexible, long lasting
- Non-metallic toe cap and midsole
 Extra high top & wide fitting: enhanced comfort
- Excellent grip
 Increased slip resistance: SRC approved
- Kick-off spur
- 100% waterproof
- Cushioning effect in heel
- Thermal insulation 40°C
 Standard EN ISO 20345:2011 S5.SRC.CI









Product Code: BNXAN1P9180

Available	in Sizes:
04 - 13	

Unit of Measure: Each





- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
 Wide fitting
- Excellent grip
 Increased slip resistance: SRC approved Resistant to fats, manure and a variety of
- chemicals
- Kick-off spur
- Cushioning effect in heel
 Thermal insulation 30°C
 Standard EN ISO 20347:2012 04.SRC.CI









Product Code BNXAN4P9180

Available in Sizes: 04 - 14

Unit of Measure: Each



Bekina Steplite X Solid Grip Full Safety Wellingtons S5

- Neotane material: proprietary polyurethane formulation:
- light, flexible, long lasting Wide fitting: Safety: steel toe cap and midsole S5
- Excellent grip
 Increased slip resistance: SRC approved
 Resistant to fats, manure and a variety of chemicals
- Kick-off spur
- Cushioning effect in heel
- Thermal insulation 30°c
 Standard EN ISO 20345:2011 S5.SRC.CI









BNXAN9P8080

Available	in Sizes:
04 - 13	

Unit of Measure: Each

Avail	able in Colours: ^{Black} BNXAN9P8080
Sec. 1	Anti-Bacterial
	Anti-Slip
4	Anti-Static
۲.	Chemical Resistance
	Energy Absortion

Full Safety Insulating

Non Abrasion Oil Resistant





Product Code BNXFN4P7080

Available in Sizes: 03.5 - 14

Unit of Measure: Each



Bekina Steplite X Solid Grip Full Safety Non Metalic Wellingtons **S**5

- Neotane material: proprietary polyurethane formulation: light, flexible, long lasting
 Non-metallic toe cap and midsole
- Extra high top & wide fitting: enhanced comfort
- Excellent grip Increased slip resistance: SRC approved
 - Kick-off spur100% waterproof

 - Cushioning effect in heel
 Thermal insulation 30°c
 - Standard EN ISO 20345:2011 S5.SRC.CI







Bekina Riglite X Solid Grip Fur Full Safety Wellingtons S5

- Neotane material: proprietary polyurethane formulation:
- light, flexible, long lasting Winter Lined
- Ultralight quick boot with pull-on loop
- Wider fitting
 Safety: steel toe cap and midsole (S5) for optimal protection
- 100% waterproof for warm and dry feet
- Multipurpose, slip-resistant outsole: SRC certified
- Abrasions-resistant, deep treads for longer life
- Kick off spur: get out your boots with ease
 Standard EN ISO 20345:2011 S5.SRC.CI









Product Code: BNXRN4P7080

Available in Sizes: 03.5 - 14

Unit of Measure: Each





- Ultralight quick boot with pull-on loop
 Wider fitting
- Safety: steel toe cap and midsole (S5) for optimal
- protection
- Null waterproof for warm and dry feet
 Multipurpose, slip-resistant outsole: SRC certified
 Abrasions-resistant, deep treads for longer life
 Kick off spur: get out your boots with ease
 Standard EN ISO 20345:2011 S5.SRC.CI









BEESWIFT

FOCUSED ON SAFETY

Product Code

BNZAN4P9180

Available in Sizes: 06 - 12

Unit of Measure:

Available in Colours: Green BNZAN4P9180

Anti-Bacterial

Chemical Resistance

Energy Absortion Full Safety Insulating

Non Abrasion **Oil Resistant**

Waterproof

Anti-Slip Anti-Static

Pair

1.5

4

5

*

::

Neotane material, proprietary polyurethane formulation: light,

Bekina Thermolite Safety Wellingtons S5

- flexible, long lasting Safety: steel toe cap and midsole S5
- Standard fitting
- Strong grip
 Increased slip resistance: SRC
- 100% waterproof
- Shock absorbing heel
- Resistant to fats, manure and a variety of chemicals.
- Thermal insulation 50°c
 Standard EN ISO 20345:2011 S5.SRC.CI












Product Code: C662343

Available in Sizes: 05 - 13

Unit of Measure: Each





The Purofort Thermo+ is the ideal boot for use in cold environments. Safe thanks to its steel-tipped toe and suitable for conditions down to -50°C, the Thermo+ protects workers against cold conditions. The heat-retaining sole ensures that workers stay comfortable, and the shock-absorbing technology and flexible upper sole offer freedom of movement

Steel toe cap

- Midsole protection Energy absorbing sole
- Antistatic
- 100% Waterproof
- Oil Resistant outsole
- Slip resistant
- Cold insulating

 Resistance: minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals. Standard: ÉN ISO 20345:2011.S5.CI.SRC









Product Code: C662933

Available in Sizes: 05 - 13

Unit of Measure: Each

Available in Colours: Green C662933

Antistatic Chemical resistant Cold insulation Superior comfort Energy absorbing Oil resistant outsole Protective toecap + midsole Slip resistant outsole SRC

Waterproof S5

S5

Dunlop Purofort Thermo+ Full Safety Wellingtons

Dunlop has improved its Purofort® Agri Range:

1. Lining; antibacterially treated, recognisable Dunlop red 2. Improved insole; premium, 3x better moisture absorption, 100% better energy absorption In addition, the communication on the boot and the Dunlop pair box has been improved. The Dunlop® Purofort® Thermo+ is certified according to the most recent European standards.

A strong, durable Purofort boot for a variety of uses in the agricultural sector. Excellent thermal insulation for temperatures down to -50°C thanks to the Purofort material technology. Shock-absorbing sole offers comfort for daily use. An easy-to-clean antislip tread for practical use on the farm. Features a steel-tipped toe and steel midsole for impact and penetration protection.

- Toecap protection
 Midsole protection
 Energy absorbing sole
- Antistatic
- 100% WaterproofOil Resistant outsole
- Slip resistant Cold insulating

 Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals. EN ISO 20345:2011 S5 CI SRC









Product Code: C762041

Available in Sizes: 06 - 14

Unit of Measure: Each

Available in Colours:



Dunlop Purofort +Full Safety Wellingtons

The ideal Purofort+ work boot for the construction & infrastructure sector. This boot has the highest non-slip certification, SRC. The shaped shaft offers a safe fit and the reinforced insole provides improved gripping properties and prevents sprained ankles.

Additional reinforcement in the metatarsal area and the heel offers the foot protection and support when moving. Insulated against the cold for temperatures down to -20°C. Lightweight and durable. Flexible for more comfort. Reflective strip on the heel for better visibility.

- Steel toe cap
- Midsole protection
- Energy absorbent
 Anti-static
- Oil resistant outsole
- Slip resistant
- 100% Waterproof
- Cold insulating to -20°C
 Additional reinforcement in the metatarsal area
 Lightweight and durable
 SRC highest non slip certificarton
- Resistance: minerals, animal and plant oils and fats,
- disinfectants, fertilizer, solvents, various chemicals.
- Standard: EN ISO 20345:2011.S5.CI.SRC









Product Code: C762043

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Black C762043



Dunlop Purofort +Rugged Full Safety Rigger Boots

The Dunlop® Rugged offers all the benefits of Purofort® and a superior outsole, making it an ideal boot for everyday construction work.

This is the only footwear to combine comfort and flexibility with durability under all weather conditions.

- 100% waterproof (no stitched seams)
- Keeping feet dry and warm
- Stays flexible and supple, with every step and movement
- Anatomically designed foot bed, offering support all day
- Easy to maintain and clean
- Does not dry out and crack
 Cut resistant upper
- Outsole with optimal grip on uneven and wet surfaces
 Steel toecap and midsole, offering full safety
 Cold insulation down to -20°C,

 Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals EN ISO 20345:2011 S5 CI CR SRC













Product Code: C762241

Available in Sizes: 05 - 12

Unit of Measure: Each

Available in Colours: Yellow C762241



Dunlop Purofort +Full Safety Wellingtons

The ideal Purofort+ work boot for the construction & infrastructure sector. This boot has the highest non-slip certification, SRC. The shaped shaft offers a safe fit and the reinforced insole provides improved gripping properties and prevents sprained ankles.

Insulated against the cold for temperatures down to -20°C Lightweight and durable. Flexible for more comfort. Reflective strip on the heel for better visibility.

- Steel toe cap
- Midsole protection Energy absorbent
- Anti-static
- Oil resistant outsole
- Slip resistant
- 100% Waterproof
- Cold insulating to -20°C
- Lightweight and durable
 SRC highest non slip certificarton
- Resistance: minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals.
 Standard: EN ISO 20345:2011 S5 CI CR SRC









Product Code: CA61131

Available in Sizes: 03 - 14

Unit of Measure: Each

Available in Colours:



Superior comfort

Energy absorbing

Oil resistant outsole

Protective toecap

Slip resistant outsole SRC

Dunlop Purofort Multigrip Safety Wellingtons

Dunlop® introduces a new generation of Purofort® boots for the Food Processing segment Industry. The FoodPro Multigrip boot has been specifically developed for food processing. Therefore the boot offers, in addition to all the benefits of Purofort® Technology, solutions based on the specific endusers needs within the Food Processing Industry.

100% waterproof

- Steel toe cap protection
- Anti-static
- Energy absorbing
 Oil resistant outsole
- Slip resistant Extra smooth design and shaft: easy to clean
- Anti-Bac Lining
- Specifically designed for orthopedic insole
- Gender specific design
 Purofort Technology: light and durable
 Resists Mineral, animal and vegetable oils and fats, manure, blood, disinfectants, solvents and various chemicals

EN ISO 20345:2011 S4 CI SRC









Product Code: D8864

Available in Sizes: 06 - 12

Unit of Measure: Each



Conforms to EN ISO 20345 SBP SRI

- Acifort full safety.
 PVC/Nitrile Rubber
- Steel toe cap
- Midsole protection
- Oil resistant outsole.
- 100% Waterproof.
 EN ISO 20345 SB P FO SRA









Product Code: EG62E33

Available in Sizes: 04 - 13

Unit of Measure: Each

Available in Colours: Green EG62E33

DUNLOP PUROFORT FIELDPRO FULL SAFETY WELLINGTON

Trainer like fit

•Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage •The trusted choice for farm and industry professionals

•Lightweight, flexible, and durable

Cut and abrasion resistant

 SRC rated Professional outsole designed for excellent grip in the field

- Tread wear indicator to monitor outsole performance Steel toecap protection
- Steel midsole protection
- Energy absorbing sole
 100% Waterproof

 Cold insulating, offering thermal insulation up to -20 ° C
 Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals

•EN ISO 20345:2011 S5 CI CR SRC

Replaces the C462933 Purofort Professional Full Safety Green







DUNLOP WARWICK FULL SAFETY WELLINGTON



Product Code: FG60E33

Available in Sizes: 04 - 13

Unit of Measure: Each

Available in Colours: Green FG60E33

DUNLOP PUROFORT FIELDPRO WELLINGTON

Trainer like fit

•Fit perfected with Dunlop's innovative Snug-fit

•The trusted choice for farm and industry professionals

Lightweight, flexible, and durable

 Cut and abrasion resistant
 SRC rated Professional outsole designed for excellent grip in the field

Tread wear indicator to monitor outsole performance Non-safety

- Energy absorbing sole
 100% Waterproof

Cold insulating, offering thermal insulation up to -20 ° C
 Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals
 EN ISO 20347:2012 O4 FO CI SRC

Replaces the D460933 Purofort Professional Green

0 ese







Product Code: GG

Available in Sizes: 03 - 11

Unit of Measure: Each

Available in Colours: Green GG White WG



DUNLOP WELLIE SHOE

Easy-on and easy-off wellie shoe for agriculture areas. Resistant against minerals, animal and plant oils, fats, disinfectants and various chemicals including low-concentration acids, bases and fertilisers.

· Waterproof to give protection in wet conditions No steel components Non-safety









Product Code: HYDRO

Available in Sizes: 07 - 12

Unit of Measure: Each

Available in Colours: Black HYDRO/B

Antistatic Safety Basic S5 SRC Highest Slip Level Steel Midsole Waterproof Membrane



- 100% Waterproof PVC upper Padded in-sock
- Antistatic
- Steel toecap and midsole
- Boot release tab on heel
- PVC/Nitrile sole
- Ladder grip on sole
 Wide fitting
- SRC slip resistant
 EN ISO 20345:2011 S5 SRC









Product Code: LJ2HD01

Available in Sizes: 04 - 12

Unit of Measure: Each

Available in Colours: Black LJ2HD01

DUNLOP PUROFORT FIELDPRO FULL SAFETY WELLINGTON

Trainer like fit

- •Fit perfected with Dunlop's innovative Snug-fit construction to eliminate heel slippage
- •The trusted choice for construction and industry
- professionals
- Lightweight, flexible, and durable
 Cut and abrasion resistant
- SRC rated Professional outsole designed for excellent grip at the jobsite
- Tread wear indicator to monitor outsole performance
- Steel toecap protection
- Steel midsole protection
- Energy absorbing sole
 100% Waterproof
- Cold insulating, offering thermal insulation up to -20 ° C
 EN ISO 20345:2011 S5 CI CR SRC









Product Code: LJ2JF01

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours:	
Yellow LJ2JF01	

DUNLOP PUROFORT FIELDPRO FULL SAFETY WELLINGTON

- Trainer like fit
- Fit perfected with Dunlop's innovative Snug-fit
- construction to eliminate heel slippage •The trusted choice for construction and industry
- professionals
- Lightweight, flexible, and durable
- Cut and abrasion resistant
 SRC rated Professional outsole designed for excellent grip at the jobsite
- Tread wear indicator to monitor outsole performance
- Steel toecap protection
- Steel midsole protection
- Energy absorbing sole100% Waterproof
- Cold insulating, offering thermal insulation up to -20 ° C
 EN ISO 20345:2011 S5 CI CR SRC









Product Code: LJ2KL01

Available in Sizes: 04-13

Unit of Measure: Each

Available in Colours: Green LJ2KL01

PUROFORT TERRAPRO FULL SAFETY WELLINGTON BOOTS

Trainer like fit

- Cut and abrasion resistant
 SRC rated Professional outsole designed for excellent
- grip in the field
- Steel toecap protection
- Steel midsole protection
- Energy absorbing sole
 100% Waterproof

- disinfectants, fertilizer, solvents, various chemicals
 EN ISO 20345:2011 S5 CI CR SRC

Replaces EG62E33 Fieldpro Full Safety Green







- · Fit perfected with Dunlop's innovative Snug-fit
- construction to eliminate heel slippage
- The trusted choice for farm and industry professionals · Lightweight, flexible, and durable

- Tread wear indicator to monitor outsole performance

- Cold insulating, offering thermal insulation up to -20 ° C
 Resists minerals, animal and plant oils and fats,



LP8K

04-13

Available in Sizes:

Unit of Measure: Each

Available in Colours:

Green LP8KL01

Orange LP8KU01

Dunlop Purofort Fieldpro Thermo+ Full Safety Wellington



- Ultra heavy-duty protection, trainer like fit
 Fit perfected with Dunlop's innovative Snug-fit that eliminates heel slippage and foot fatigue
- Extremely durable Purofort® outlasts the competition
- Purofort keeps for feet warm when its cool and cool when its warm
- Unrivalled cold protection from the harshest weather down to
- GOC/-78F
 Full Safety light weight heavy duty protection composite toe cap and midsole
- SR rated outsole designed for maximum grip in harshest conditions
- Tread wear indicator to monitor outsole performance Dunlop Slip innovation centre tested beyond the limits to ensure ultimate grip on the
- toughest terrain
- Oil resistant outsole with antistatic properties Ladder grip
- 100% waterproof protection
- EN ISO 20345:2022 S5L CI CR SR FO LG









Product Code: MZ2LE01

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours: Grey MZ2LE01

Dunlop Acifort Metguard Full Safety Wellingtons

- EN-certified metatarsal and ankle protection keeps you safe for the toughest jobs
- Dunlop's Acifort provides extra chemical protection from fuel and acids
- Specially formulated Acifort outlasts the competition
- SRC rated outsole designed for maximum grip on the toughest terrains
- Tread wear indicator to monitor outsole performance Dual-density mid layer absorbs impact energy with every
- step
- Steel toecap protection
 Steel midsole protection
- Energy absorbing sole
 EN ISO 20345:2011 SB P E FO SRC M AN









Product Code: NB2KLCW

Available in Sizes: 06 - 12

Unit of Measure: Each

Available in Colours: Green NB2KLCW

Dunlop Work-It Full Safety Chest Wader

Practical, durable wading pants; ideal for a variety of uses in the agricultural sector. Features a steel-tipped toe and steel midsole for impact and penetration protection.

- Toecap protection.Midsole protection.
- Slip resistant.
- Energy absorbing, oil resistant sole with antistatic properties.
 Resistant to mineral oils, animal and vegetable oils & fats.
- 100% waterproof.
 Easy to clean PVC material
- EN ISO 20345:2022 Ladder Grip (LG) certified

EN ISO 20345:2022 S5 SR FO LG

Replaces PCWFS Full Safety PVC Chest Wader Green










Product Code: PCW

Available in Sizes: 06 - 12

Unit of Measure: Each







DUNLOP PVC CHEST WADER

- No steel components
- Colour: Green

Standard: CE

Non Safety100% waterproof.

Practical, durable wading pants; ideal for a variety of uses in the agricultural sector.

100% waterproof.









Product Code: **BNE001**

Available in Sizes: 03.5 - 13

Unit of Measure: PK 5

Available in Colours: Green BNE001



- Insole for the Steplite Easy Grip Wellington
 Extra thick felt insole
- Strong top layer for durability e
- Warm felt for comfortable warm feet
- Gel latex bottom provides cushion & grip
- Antibacterial treatment
- Washable at 30°C .

e

•

.









Product Code: CF1000

Available in Sizes: 03 - 13

Unit of Measure: Each

Available in Colours: Black CF1000



BEESWIFT GEL INSOLES

- High elastic E.V.A insole footbed with soft latex
- Shock absorption honeycomb heel
- Excellent comfort
- Offers cushioning and support for the feet over extended walking and standing time periods
 Protects the foot from impact with the ground and helps to lessen the stress on joints and ligaments in the foot
- Helps prevent injury
- Friction reducing top fabric
- Fits in most shoes with a removable insole









Product Code: CFL

Available in Sizes: 90 - 140

Unit of Measure: Each

ČE

Available in Colours: Black CFL Cat 1 - Minimal Risk









😟 BEESWIFT[®]

Beeswift Round Boot Lace 140cm

BEESWIFT FLAT BOOT LACE

Flat boot lace 90cm in length

Round boot lace

140cm in length
Black

Product Code: CRL140

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: Black CRL140









Product Code: EN3Q

Available in Sizes: 10-14

Unit of Measure: Pair



ENERTOR 3/4 LENGTH INSOLE

Perfect for everyday use in tighter fitting shoes where additional material in the toe box becomes too tight. Each insole sticks to the shoe and can easily be removed and transferred to another pair of shoes.

ENHANCED BY D30® TECHNOLOGY TO REDUCE SHOCK AND PROTECT AGAINST FOOT PAIN AND INJURIES

Uses D30® Technology
Provides instant relief and long-term

protection


 Design for heel and mid foot protection, for tight fitting work shoes where tighter on the forefoot.

 Adhesive layer to help fix in the right place

Benefits:

 General improvement of shock protection in the heel and midfoot.

 Ideal for those that experience heel pain, forefoot discomfort and/or lower limb fatigue as a result of being on their feet for long periods at any one time.





ENERTOR



Product Code: EY6300

Available in Sizes: M - XL

Unit of Measure: Each

Available in Colours: Black EY6300

Abrasion Resistant Õ Hand Washable é

Water Repellent

ERGODYNE ICE TRACTION BOOT ATTACHMENT L (SZ 8-11)

SIZE MEDIUM One piece ice traction device for shoes or boots for grip and stability Rugged steel studs Stretchable rubber for easy on/off fit

Replacement studs available code 6301









Product Code: BBICWS

Available in Sizes: ONE SIZE

Unit of Measure: Bx 20

Available in Colours: Black BBICWSN



Beeswift Lets-U-Grip Heel Grip Webbing Extension Strap





() BEESWIFT[®]



Product Code: BBICHG

Available in Sizes: S - XXL

Unit of Measure: Each

Available in Colours:



Beeswift Letz-U-Grip Heel Grips with Spikes

- LETZ -U-GRIP Heel Grips
- TPE Material
- Tungsten Spikes
 Cold Resistant to -40 degrees C
- Improves traction in slippery conditions.









Product Code: BBICT

Available in Sizes: S - XXL

Unit of Measure: Each

Available in Colours: Black BBICT

Cat 1 - Minimal Risk CE



- LETZ-U-GRIP boot grips
 Improves traction in slippery conditions
 Increased stability
 Reduces slipping or falling
 Available in sizes 7-10
 Please don't wear whilst driving.





BEESWIFT

Cat 1 - Minimal Risk Anti-Bacterial Anti-Static **Energy Absortion** Insulating **Oil Resistant** Waterproof **Chemical resistant** Superior comfort Oil resistant outsole Protective toecap + midsole Slip resistant outsole SRC CE **S**5 **Abrasion Resistant** Water Repellent Anti Slip Sole **Breathable Upper** Cat 2 - Intermediate Risk **Composite Midsole Energy Absorbing** Heat Resistant Sole 300c Leather Upper **Metatarsal Impact Protection Fuel Oil Resistant Sole Steel Midsole** Various Chemical Resistant Non-Safety Conforms to EN ISO 20345 S1P SRA Conforms to EN ISO 20345 S2 Conforms to EN ISO 20345 S3 SRC Conforms to EN ISO 20345 SB A E SRC Conforms to EN ISO 20345 SBP GRA

CAT. I	
CE	Cat 1 - Minimal Risk
\searrow	Anti-Slip
	Chemical Resistance
	Full Safety
	Non Abrasion
	Protective Toecap
444	Antistatic
*	Cold insulation
	Energy absorbing
V/	Protective toecap
SRA	Slip resistant outsole SRA
	Waterproof
S4	S4
SB	SB
6	Hand Washable
	3M Thinsulate Lined
7	Anti Static Sole
CAT	Cat 1 - Minimal Risk
	Cold Insulating
2005	200 Joule Composite Toe Cap
	Heat Resistant Sole
S.	Kevlar Midsole
40/	Machine Washable 40°c
	Non Metallic Midsole
	Shock Absorber Heel
LOOS	200 Joule Steel Toecap
and the second s	Water Resistant
S1 SRC	Conforms to EN ISO 20345 S1 SRC
S1P SRC	Conforms to EN ISO 20345 S1P SRC
S2 SRC	Conforms to EN ISO 20345 S2 SRC
S3 SRC-HRO	Conforms to EN ISO 20345 S3 SRC HRO
SBP	Conforms to EN ISO 20345 SBP
SBP SRC	Conforms to EN ISO 20345 SBP SRC

Pictogram Key



Dual Density

Antistatic

Safety Basic S1P

Safety Basic S5

SRC Highest Slip Level

Waterproof Membrane Anti Slip Sole

- Chainsaw Protection
- 🦡 Compostie Toe Cap
- Exclusive PU Outsole
- m Oil Resistant Sole
- Shock Absorber
- Steel Midsole
- -----> Sympatex
- 🁦 🛛 Water Resistant Upper

Cat 2 - Intermediate Risk

Electrostatic Discharge Protection

- 🐡 uPower-Original
 - 👂 uPower-Secosol

	Non Metal Composite Midsole
	Heat Resistant Sole
53	Safety Basic S3
SRA	SRA Basic Slip Level
	Steel Midsole 100% Non Metallic
Ø	Antistatic
6 2	Clima Cork System
	Electro Static Dissipative
	Kevlar Midsole
	100% Recycable
×300-11/1/1	Sole Resistant to 300°
5	Steel Toe Cap
Aquaiox	Waterproof Membrane
	Woman
Airtoe	Airtoe Aluminium
CONFORTU	uPower-NaturalComfort
Save ^s lex air	uPower-SaveFlexair
wing <mark>tex</mark>	uPower-Wingtex



FOOTWEAR MARKINGS CHECKLIST

	NS	SB	SBP	\$1	\$1P	\$2	\$3	\$ 4	\$ 5	S6	\$7
		•		•	•	•		•	•	•	•
200.											
Ż				٠	٠	٠	•	٠	٠	٠	٠
1				٠	•	•	٠	٠	•	•	•
4				٠	٠	٠	٠	٠	٠	٠	٠
-						٠	٠			•	•
DH 153 32046		•	•	٠	•	•	•	٠	•	•	•
WATERPROOF SEAL								•	•		

FOOTWEAR SYMBOLS

200 JOULE STEEL TOE CAP	200 JOULE COMPOSITE TOE CAP	STEEL HIDSOLE PROTECTION	COMPOSITE MIDSOLE PROTECTION	NETATIARISAL PROTECTION	3 ANTI-STATIC
SHIJCK ABBORBER HEEL		ENERGY	40/ WASHABLE TO 49FC	NESIS DANS 10 OLS	BREATHABLE MENDRANE LINING
HEAT DESISTANT SOLE TO SUPC	WATER RESISTANT LEATHER UPPER	SLIP RESISTANT	an• THESE ULATE		CONTRINS EUROPEAN 812E5 40 & 45

SHOES, BOOTS & RIGGERS

YOUR LOCAL 🔘 BEESWIFT" DISTRIBUTOR

QUILLS OFFICE SUPPLIES LTD UNIT 2 SPITFIRE BUSINESS PARK 1 HAWKER ROAD CROYDON SURREY CR0 4WD

t: 08450780324 f: 08450780325 e: sarah.pask@quillsuk.co.uk

TRADEMARKED AND COPYRIGHT © PROTECTED ALL RIGHTS RESERVED